

SAFETY DATA SHEET

CONFORMS TO OSHA HAZARD COMMUNICATION STANDARD (HCS) 29 CFR 1910.1200

Page 1 of 4

Revision Date 7/30/2015 **Supersedes Date** 6/1/2015

SECTION 1. IDENTIFICATION

WearMaster® KG 451-2 **Product identifier:**

Part number: Not assigned

Identified uses: Lubricant where there is no possibility of contact with food

Uses advised against: Not for use where there is the possibility of contact with food. Other uses advised against may be specified elsewhere in this

SDS.

OPCO Lubrication Systems, Inc. Supplier:

> 9569 W. 40th Street Fremont, MI 49412 USA

Not available **Email contact:**

Non-emergency Phone: 231-924-6160

contact:

Emergency telephone: INFOTRAC:

> North America 1-800-535-5053 Australia 1-300-366-961 Germany 0800-181-2926

International 011-1-352-323-3500 (collect) China 400-120-0761

SECTION 2. HAZARD(S) IDENTIFICATION

Classification: Skin Sensitization Cat. 1

Label elements

Pictograms:



Warning Signal word:

Hazard statements: May cause an allergic skin reaction.

Precautionary

Avoid breathing fume/ mist/ vapors/ spray. Contaminated work clothing should not be allowed out of the workplace. Wear statements: protective gloves. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/

attention. Wash contaminated clothing before reuse. Dispose of contents/ container to an approved waste disposal plant.

Causes mild skin irritation.

Hazards not otherwise Not applicable

classified:

Additional information: Not applicable

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

Composition:	<u>Chemical name</u>	<u>%</u>	CAS #	<u>Impurities</u>
	Sulfurized isobutylene	1-5	68511-50-2	None
	2,5-bis(n-octyldithio)-1,3,4-thiadiazole	<1	13539-13-4	None
	Mineral oil	Proprietary	Mixture	None

SECTION 4. FIRST-AID MEASURES

First aid measures

Eye contact: Remove contact lenses, if wearing, and flush eyes with water for at least 15 minutes or until irritation subsides. If irritation

persists, consult a physican.

Skin contact: Remove clothing and shoes, if contaminated. Wash skin with soap and water. Wash or clean contaminated clothing before

reuse and discard oil-soaked shoes. If irritation persists, consult a physician.

If swallowed, DO NOT induce vomiting. As a precaution, give the person a glass of water to drink and seek medical attention. Ingestion:

Never give anything by mouth to an unconscious person. Consult a physician.

Inhalation: Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention

immediately.

Most important

May cause an allergic skin reaction. symptoms and effects,

both acute and delayed:

Indication of any No further relevant information available.

immediate medical attention and special treatment available:

Page 2 of 4
Revision Date
Supersedes Date

7/30/2015 6/1/2015

General information: No further relevant information available.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing

Extinguishing media include dry chemical, alcohol foam, and carbon dioxide. Do not use direct stream of water. Water may be

media: used to keep fire-exposed containers cool.

<u>Unsuitable</u> <u>extinguishing media:</u>

Advice for firefighters:

madia

Do not use direct stream of water.

Specific hazards: Pressure build-up due to heat exposure may cause containers to rupture. Use water spray to keep containers cool.

Firefighters should wear full protective gear, including helmet. Use supplied-air breathing equipment for enclosed or confined

space or as otherwise needed.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations. Keep away from ignition sources. Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

procedures

Prevent entry into sewers, waterways or confined areas by diking or impounding. Dike far ahead of spill for later recovery and disposal. Advise authorities if the product has entered or may enter sewers, watercourses, or extensive land areas.

Methods for containment and cleaning up

Land spill: Stop leak if you can do so without risk. Recover free product using non-sparking tools. Add sand, earth, or other suitable absorbent material to the spill area. Recover by pumping or with suitable absorbents. Dispose of in accordance with national and/or local regulations relating to waste disposal.

Water spill: Stop leak if you can do so without risk. Confine the spill immediately with booms. Remove from the surface by

skimming or with suitable absorbents. Seek the advice of a specialist before using dispersants.

SECTION 7. HANDLING AND STORAGE

<u>Precautions for safe</u> handling: Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace.

Conditions for safe storage, including any incompatibilities: Store in a cool, dry place in tightly sealed containers. Store out of direct sunlight. Do not store near heat, sparks, open flame, pilot lights, static electricity, or other sources of ignition. Do not store where temperature may exceed 49°C (120°F). Store away from oxidizing agents. Rotate stock.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Workplace exposure

limits:

<u>Chemical name</u>
Sulfurized isobutylene
2,5-bis(n-octyldithio)-1,3,4-thiadiazole

5 mg/m³ (mist), OSHA Not available

Exposure limit and source

Mineral oil 5 mg/m³ (mist), OSHA

Exposure controls

Engineering controls: Provide exhaust ventilation or other engineering controls to keep the airborne concentration of vapors below their respective

occupational exposure limits.

Ventilation: Use in a well-ventilated area. See Engineering Controls.

Personal hygiene: Wash skin thoroughly after contact, before breaks and meals and at the end of the work period. Product is readily removed

from skin by waterless hand cleaners followed by washing thoroughly with soap and water.

Eye protection: Chemical splash goggles or face shield in compliance with OSHA regulations are advised when eye contact may occur.

Hand protection: Any lined non-permeable rubber gloves.

Respiratory protection: Use with adequate ventilation. Respiratory protective equipment is not normally required where there is adequate natural or

local exhaust ventilation to control exposure. In case of insufficient ventilation, wear suitable respiratory equipment. A

NIOSH/MSHA-approved air-supplied respirator is advised in absence of proper environmental control.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance / odor: Red, tacky grease with characteristic odor <u>Upper flammability limit:</u> Not available

Lower flammability limit: Not available

Physical state: Semi-solid Vapor pressure: Not available

Odor threshold: Not available Vapor density:

pH: Not available Not available

Page 3 of 4 WearMaster® KG 451-2

Revision Date Supersedes Date 7/30/2015 6/1/2015

Melting / freezing point: Not available

Initial boiling point

Not available

and boiling range:

Evaporation rate:

Flash point:

Solubility in water:

Relative density:

0.91 (typical)

Insoluble

450°F (232°C), ASTM D 92

Partition coefficient (n-octanol/water):

Not available

Not available

Autoignition temperature:

Not available

Flammability (solid, gas): Not applicable **Decomposition temperature:** Not available

Viscosity: Not available

SECTION 10. STABILITY AND REACTIVITY

Reactivity: Not reactive under normal conditions. **Chemical stability:** Stable under recommended conditions.

Possibility of

Hazardous reactions are not expected to occur.

hazardous reactions:

Conditions and materials to avoid: Avoid heat, sparks, open flames and oxidizing materials.

Oxides of phosphorus; nitrogen oxides (NOx); carbon oxides; sulphur oxides.

decomposition products:

Hazardous

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Eye contact: No known significant effects or critical hazards.

Skin contact: May cause an allergic skin reaction.

Inhalation: No known significant effects or critical hazards. No known significant effects or critical hazards. Ingestion:

LC₅₀ Component Components LD₅₀

information: 5000 mg/kg (oral, rat) Not available Sulfurized isobutylene

> 2,5-bis(n-octyldithio)-1,3,4-thiadiazole Not available Not available Mineral oil Not available Not available

Information on physical, chemical and toxicological effects

Symptoms: Please see Section 4 of this SDS for symptoms.

Delayed and immediate effects, and chronic effects, from short and long-terms exposure

Effects: May cause an allergic skin reaction.

Carcinogenicity: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated

carcinogen by NTP.

Not determined

toxicity:

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity: Not available

L(E)C₅₀ Component Components

information: Sulfurized isobutylene 1000 mg/l/48h (Daphnia magna)

> 2,5-bis(n-octyldithio)-1,3,4-thiadiazole Not available Mineral oil Not available

Persistence and

degradability:

Not determined

Bioaccumulative

Not determined

potential:

Mobility in soil: Not available Other adverse effects: Not determined

Page 4 of 4 WearMaster® KG 451-2

Revision Date Supersedes Date

7/30/2015 6/1/2015

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods:

Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. Consult national or regional authorities for proper disposal and reporting procedures.

SECTION 14. TRANSPORTATION INFORMATION

Dangerous goods descriptions may not reflect package size, quantity, end-use or region-specific exceptions that can be applied to shipments. Consult shipping documents for material-specific descriptions.

	Proper Shipping Name:	UN Number:	Hazard <u>Class:</u>	Packing <u>Group:</u>	Remarks:
<u>U.S. D.O.T.</u>	Not regulated	None	None	None	None
ADR/RID	Not regulated	None	None	None	None
<u>IMDG</u>	Not regulated	None	None	None	None
<u>IATA</u>	Not regulated	None	None	None	None

SECTION 15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA Section 302 **Extremely Hazardous** This product contains greater than 1.0% of the following chemical(s) on the SARA Extremely Hazardous Substances List:

Substances:

SARA Section 304 **CERCLA Hazardous** Release of the following chemical(s) at quantities equal to or greater than the reportable quantities (RQ), is subject to

reporting to the National Response Center under CERCLA:

Substances:

SARA Section 313 Toxic This product contains the following chemical(s) listed in Section 313 at or above the de minimis concentrations:

Chemicals: Zinc compounds, present at 1.7%

TSCA Inventory: All components of this material are on the U.S. TSCA Inventory.

U.S. State Regulations

California Proposition

This product does not contain chemical(s) known to the State of California to cause birth defects or other reproductive harm.

65 Status

California None

Proposition 65 Listed Components International Regulations

Canada: All components are in compliance with the Canadian Environmental Protection Act. This product has been classified in

accordance with the hazard criteria of the CPR and this SDS contains all the information required by CPR.

Japan MITI: Not available Australia: Not available Switzerland: Not available

SECTION 16. OTHER INFORMATION

Sections Revised: New SDS format 7/30/2015 **Revision Date:**

The information and recommendations contained herein are, to the best of OPCO Lubrication Systems, Inc.'s knowledge and belief, accurate and reliable as of the date issued. OPCO Lubrication Systems, Inc. makes no warranty or guarantee, expressed or implied, of their accuracy or reliability, and OPCO Lubrication Systems, Inc. shall not be liable for any loss or damage based upon the criteria supplied by the developers of these rating systems, together with OPCO Lubrication Systems, Inc.'s interpretation of the available data.